

## 英文論文

(原著+症例報告)

1. Furue M, Onozuka D, Takeuchi S, Murota H, Sugaya M, Masuda K, Hiragun T, Kaneko S, Saeki H, Shintani Y, Tsunemi Y, Abe S, Kobayashi M, Kitami Y, Tanioka M, Imafuku S, Abe M, Inomata N, Morisky DE, Katoh N. Poor adherence to oral and topical medication in 3096 dermatological patients as assessed by Morisky Medication Adherence Scale-8. *Br J Dermatol.* 172:272-275, 2015.
2. Takeuchi S, Oba J, Esaki H, Furue M. Pruritus of patients with atopic dermatitis in daily life and therapeutic effects experienced by them: Results of a web-based questionnaire survey. *Br J Dermatol.* 173:250-252, 2015.
3. Takeuchi S, Esaki H, Furusyo N, Hayashida S, Yamamura K, Tsuji G, Takemura M, Hayashi J, Furue M. Incidence, Serum IgE and TARC/CCL 17 Levels in Atopic Dermatitis Associated with other Allergic Diseases: An Update from the Ishigaki Cohort. *Acta Derm Venereol.* 95:480-484, 2015.
4. Mitoma C, Takahara M, Furue M. Severe Granulomatous Rosacea in a Boy Successfully Treated with Topical Azelaic Acid. *Indian J Dermatol.*60:323, 2015
5. Mitoma C, Mine Y, Utani A, Imafuku S, Muto M, Akimoto T, Kanekura T, Furue M, Uchi H. Current skin symptoms of Yusho patients exposed to high levels of 2,3,4,7,8-pentachlorinated dibenzofuran and polychlorinated biphenyls in 1968. *Chemosphere.* 137: 45-51, 2015
6. Nakahara T, Oba J, Shimomura C, Kido-Nakahara M, Furue M. Early Tumor-Infiltrating Dendritic Cells Change their Characteristics Drastically in Association with Murine Melanoma Progression. *J Invest Dermatol.* (in press)
7. Nakahara T, Mitoma C, Hashimoto-Hachiya A, Takahara M, Tsuji G, Uchi H, Yan X, Hachisuka J, Chiba T, Esaki H, Kido-Nakahara M, Furue M. Antioxidant *Opuntia ficus-indica* Extract Activates AHR-NRF2 Signaling and Upregulates Filaggrin and Loricrin Expression in Human Keratinocytes. *J Med Food.* 18:1143-9, 2015
8. Nakahara T, Yamada Y, Itoh E, Kido-Nakahara M, Oda Y, Kiryu H, Furue M. Case of ossifying epithelioid hemangioendothelioma on the forearm. *J Dermatol.* 42:841-2, 2015
9. Nakahara T, Moroi Y, Takayama K, Nakanishi Y, Furue M. Analysis of sebum lipid composition and the development of acneiform rash before and after administration of egfr inhibitor. *Curr Oncol.* 22:e124-7, 2015

10. Nakahara T, Moroi Y, Takayama K, Itoh E, Kido-Nakahara M, Nakanishi Y, Furue M. Changes in sebum levels and the development of acneiform rash in patients with non-small cell lung cancer after treatment with EGFR inhibitors. *Onco Targets Ther.* 8:259-63, 2015
11. Kido-Nakahara M, Katoh N, Saeki H, Mizutani H, Hagihara A, Takeuchi S, Nakahara T, Masuda K, Tamagawa-Mineoka R, Nakagawa H, Omoto Y, Matsubara K, Furue M. Comparative cut-off value setting of pruritus intensity in visual analogue scale and verbal rating scale. *Acta Derm Venereol.* 95:345-6, 2015
12. Itoh E, Nakahara T, Furue M. Injury-induced acquired dermal melanocytosis arising on an operating scar. *J Dermatol.* 42:434-435, 2015
13. Tsuji G, Okiyama N, Villarroel VA, Katz SI. Histone deacetylase 6 inhibition impairs effector CD8 T-cell functions during skin inflammation. *J Allergy Clin Immunol.* 135:1228-39, 2015
14. Kozono K, Nakahara T, Kikuchi S, Itoh E, Kido-Nakahara M, Furue M. Pyoderma gangrenosum with increased levels of serum cytokines. *J Dermatol.* (in press)
15. Esaki H, Ewald DA, Ungar B, Rozenblit M, Zheng X, Xu H, Estrada YD, Peng X, Mitsui H, Litman T, Surez-Farias M, Krueger JG, Guttman-Yassky E. Identification of novel immune and barrier genes in atopic dermatitis by means of laser capture microdissection. *J Allergy Clin Immunol.* 135: 153-163, 2015
16. Ito T, Inatomi Y, Nagae K, Nakano-Nakamura M, Nakahara T, Furue M, Uchi H. Narrow-margin excision is a safe, reliable treatment for well-defined, primary pigmented basal cell carcinoma: an analysis of 288 lesions in Japan. *J Eur Acad Dermatol Venereol.* 29:1828-31, 2015
17. Ito T, Kaku Y, Nagae K, Nakano-Nakamura M, Nakahara T, Oda Y, Hagihara A, Furue M, Uchi H. Tumor thickness as a prognostic factor in extramammary Paget's disease. *J Dermatol.* 42:269-75, 2015
18. Ito T, Wada M, Nagae K, Nakano-Nakamura M, Nakahara T, Hagihara A, Furue M, Uchi H. Acral lentiginous melanoma: who benefits from sentinel lymph node biopsy? *J Am Acad Dermatol.* 72:71-7, 2015
19. Ito T, Wada M, Nagae K, Nakano-Nakamura M, Nakahara T, Hagihara A, Furue M, Uchi H. Triple-marker PCR assay of sentinel lymph node as a prognostic factor in melanoma. *J Eur Acad Dermatol Venereol.* 29:912-8, 2015
20. Ito T, Tsuji G, Uchi H, Nakahara T, Hashimoto-Hachiya A, Yoshida Y, Yamamoto O, Oda Y, Furue M. Activation of OVOL1-OVOL2 axis in hair bulb and pilomatricoma. *Am J Pathol* (in press)

21. Ito T, Kohashi K, Yamada Y, Maekawa A, Kuda M, Furue M, Oda Y. Prognostic significance of Forkhead Box M1 (FOXM1) expression and antitumor effect of FOXM1 inhibition in melanoma. *Histopathology* (in press)
22. Ito T, Yoshida Y, Furue M, Yamamoto O. Poroma with sebaceous differentiation: dermoscopy for the diagnosis of skin tumor with sebaceous differentiation. *Indian J Dermatol* 60: 85-87, 2015.
23. Ito T, Yoshida Y, Goto H, Furue M, Yamamoto O. Linear and whorled nevoid hypermelanosis with severe tetralogy of Fallot. *Indian J Dermatol* 6: 325-6, 2015
24. Ito T, Uchi H, Yamada Y, Oda Y, Furue M. Onychopapilloma manifesting longitudinal melanonychia: a mimic of subungual malignancy. *J Dermatol* 42: 1199–1201, 2015
25. Fuyuno Y, Mitoma C, Ito S, Uchi H, Okura M, Yamashita T, Furue M. Verruciform xanthoma developing in eroded skin of recessive dystrophic epidermolysis bullosa. *Eur J Dermatol*. 25 : 509-510,2015.
26. Sugiyama A, Kishikawa R, Honjo S, Shimoda T, Nishie H, Motomura C, Taba N, Murakami Y, Iwata M, Odajima H, Iwanaga T, Furue M. Angiotensin-converting enzyme genotype is a risk factor for wheat-dependent exercise-induced anaphylaxis sensitized with hydrolyzed wheat protein. *Allergol Int.* (in press)
27. Takei K, Mitoma C, Hashimoto-Hachiya A, Takahara M, Tsuji G, Nakahara T, Furue M. Galactomyces fermentation filtrate prevents T helper 2-mediated reduction of filaggrin in an aryl hydrocarbon receptor-dependent manner. *Clin Exp Dermatol*. 40:786-93, 2015
28. Takei K, Hashimoto-Hachiya A, Takahara M, Tsuji G, Nakahara T, Furue M. Cynaropicrin attenuates UVB-induced oxidative stress via the AhR-Nrf2-Nqo1 pathway. *Toxicol Lett*. 234:74-80, 2015
29. Takei K, Mitoma C, Hashimoto-Hachiya A, Uchi H, Takahara M, Tsuji G, Kido-Nakahara M, Nakahara T, Furue M. Antioxidant soybean tar Glyteer rescues T-helper-mediated downregulation of filaggrin expression via aryl hydrocarbon receptor. *J Dermatol*. 42:171-80, 2015
30. Miake S, Nakahara T, Kudo K, Furue M. Bisphosphonate-related osteonecrosis of the rib. *Eur J Dermatol*. (in press)
31. Nagae K, Uchi H, Ito T, Moroi Y, Oda Y, Furue M. Osteomalacia induced by a phosphaturic mesenchymal tumor secreting fibroblast growth factor 23. *Eur J Dermatol*. 25:199-200,2015
32. Yasukochi Y, Nakahara T, Koike A, Ichikawa R, Koga T, Furue M. Radiation-induced skin ulcer and rib fractures following percutaneous coronary

- intervention (PCI): A case of right back skin ulcer and adjacent rib fractures after single PCI. *J Dermatol.* 42:508-10, 2015
33. Kaku Y, Ito T, Wada M, Nozaki Y, Kido-Nakahara M, Nakahara T, Furue M. Tonic Water-induced Generalized Bullous Fixed Eruption. *Acta Derm Venerol* 95: 505-6, 2015
  34. Murata M, Ito T, Nagae K, Nakano-Nakamura M, Nishida R, Takei K, Takahara M, Uchi H, Nishimura K, Masuda M, Furue M. Disseminated protothecosis manifesting with multiple, rapidly-progressing skin ulcers: successful treatment with amphotericin B. *Eur J Dermatol.* 25:208-9, 2015
  35. Kuma Y, Ito T, Nagae K, Mizote Y, Nakahara T, Uchi H, Yamada Y, Okura M, Oda Y, Yamashita T, Furue M. Two Cases of Cutaneous Squamous Cell Carcinoma Arising in Immunosuppressed Patients with Chronic Human Papillomavirus Infection. *Case Rep Dermatol.* 25:178-82, 2015
  36. Iwasaki T, Takeshita T, Arinaga Y, Takeuchi S, Furue M, Higurashi E, Sawada R. Shearing force measurement device with a built-in integrated micro displacement sensor. *Sensor Actuators A-Phys.* 221:1-8, 2015
  37. Aktar MK, Kido-Nakahara M, Furue M, Nakahara T. Mutual upregulation of endothelin-1 and IL-25 in atopic dermatitis. *Allergy.* 70:846-54, 2015
  38. Baumbauer KM, DeBerry JJ, Adelman PC, Miller RH, Hachisuka J, Lee KH, Ross SE, Koerber HR, Davis BM, Albers KM. Keratinocytes can modulate and directly initiate nociceptive responses. *Elife.* 2; 4,2015
  39. Czarnowicki T, Esaki H, Gonzalez J, Malajian D, Shemer A, Noda S, Talasila S, Berry A, Gray J, Becker L, Estrada Y, Xu H, Zheng X, Suárez-Fariñas M, Krueger JG, Paller AS, Guttman-Yassky E. Early pediatric atopic dermatitis shows only a cutaneous lymphocyte antigen (CLA)(+) TH2/TH1 cell imbalance, whereas adults acquire CLA(+) TH22/TC22 cell subsets. *J Allergy Clin Immunol.* 136: 941-951, 2015
  40. Czarnowicki T, Gonzalez J, Bonifacio KM, Shemer A, Xiangyu P, Kunjraiva N, Malajian D, Fuentes-Duculan J, Esaki H, Noda S, Estrada Y, Xu H, Zheng X, Krueger JG, Guttman-Yassky E. Diverse activation and differentiation of multiple B-cell subsets in patients with atopic dermatitis but not in patients with psoriasis. *J Allergy Clin Immunol.* (in press)
  41. Fujisawa Y, Yoshino K, Kiyohara Y, Kadono T, Murata Y, Uhara H, Hatta N, Uchi H, Matsushita S, Takenouchi T, Hayashi T, Fujimoto M, Ohara K. The role of sentinel lymph node biopsy in the management of invasive extramammary Paget's

- disease: Multi-center, retrospective study of 151 patients. *J Dermatol Sci* 279:38-42,2015
42. Fukushi JI, Tokunaga S, Nakashima Y, Motomura G, Mitoma C, Uchi H, Furue M, Iwamoto Y. Effects of dioxin-related compounds on bone mineral density in patients affected by the Yusho incident. *Chemosphere*. 145:25-33,2015
  43. Iwasaki W, Nogami H, Takeuchi S, Furue M, Higurashi E, Sawada R. Detection of Site-Specific Blood Flow Variation in Humans during Running by a Wearable Laser Doppler Flowmeter. *Sensors (Basel)*. 5;15:25507-19,2015
  44. Kakizuka S, Takeda T, Komiya Y, Koba A, Uchi H, Yamamoto M, Furue M, Ishii Y, Yamada H. Dioxin-Produced Alteration in the Profiles of Fecal and Urinary Metabolomes: A Change in Bile Acids and Its Relevance to Toxicity. *Biol Pharm Bull*. 38:1484-95,2015
  45. Kaneko S, Masuda K, Hiragun T, Inomata N, Furue M, Onozuka D, Takeuchi S, Murota H, Sugaya M, Saeki H, Shintani Y, Tsunemi Y, Abe S, Kobayashi M, Kitami Y, Tanioka M, Imafuku S, Abe M, Hagihara A, Morisky DE, Katoh N. Transient improvement of urticaria induces poor adherence as assessed by Morisky Medication Adherence Scale-8. *J Dermatol*. 42:1078-82,2015
  46. Li MC, Chen PC, Tsai PC, Furue M, Onozuka D, Hagihara A, Uchi H, Yoshimura T, Guo YL. Mortality after exposure to polychlorinated biphenyls and polychlorinated dibenzofurans: a meta-analysis of two highly exposed cohorts. *Int J Cancer*. 137:1427-32,2015
  47. Liu G, Asanoma K, Takao T, Tsukimori K, Uchi H, Furue M, Kato K, Wake N. Aryl hydrocarbon receptor SNP -130 C/T associates with dioxins susceptibility through regulating its receptor activity and downstream effectors including interleukin 24. *Toxicol Lett*. 232:384-92,2015
  48. Matsumoto S, Akahane M, Kanagawa Y, Kajiwara J, Mitoma C, Uchi H, Furue M, Imamura T. Unexpectedly long half-lives of blood 2,3,4,7,8-pentachlorodibenzofuran (PeCDF) levels in Yusho patients. *Environ Health*. 14: 76, 2015
  49. Murata Y, Song M, Kikuchi H, Hisamichi K, Xu XL, Greenspan A, Kato M, Chiou CF, Kato T, Guzzo C, Thurmond RL, Ohtsuki M, Furue M. Phase 2a, randomized, double-blind, placebo-controlled, multicenter, parallel-group study of a H4R-antagonist (JNJ-39758979) in Japanese adults with moderate atopic dermatitis. *J Dermatol*. 42:129-39,2015
  50. Murota H, Takeuchi S, Sugaya M, Tanioka M, Onozuka D, Hagihara A, Saeki H, Imafuku S, Abe M, Shintani Y, Kaneko S, Masuda K, Hiragun T, Inomata N, Kitami Y, Tsunemi Y, Abe S, Kobayashi M, Morisky DE, Furue M, Katoh N.

Characterization of socioeconomic status of Japanese patients with atopic dermatitis showing poor medical adherence and reasons for drug discontinuation. *J Dermatol Sci.* 79:279-87,2015

51. Nemoto O, Furue M, Nakagawa H, Shiramoto M, Hanada R, Matsuki S, Imayama S, Kato M, Hasebe I, Taira K, Yamamoto M, Mihara R, Kabashima K, Ruzicka T, Hanifin J, Kumagai Y. The first trial of CIM331, a humanized anti-human IL-31 receptor A antibody, for healthy volunteers and patients with atopic dermatitis to evaluate safety, tolerability and pharmacokinetics of a single dose in a randomised, double-blind, placebo-controlled study. *Br J Dermatol.* (in press)
52. Okano S, Takahara M, Tanaka M, Nakahara T, Suzuki H, Fujii H, Shirabe K, Oda Y, Maehara Y, Furue M. Cutaneous epithelioid angiomatous nodule in a patient with a history of multiple pyogenic granulomas. *Eur J Dermatol.* 25:268-9, 2015
53. Qin Y, Milton DR, Oba J, Ding Z, Lizée G, Ekmekcioglu S, Grimm EA. Inflammatory IL-18-driven JNK activation in stage III melanoma. *Pigment Cell Melanoma Res.* 28:236-9, 2015
54. Saeki H, Imafuku S, Abe M, Shintani Y, Onozuka D, Hagihara A, Katoh N, Murota H, Takeuchi S, Sugaya M, Tanioka M, Kaneko S, Masuda K, Hiragun T, Inomata N, Kitami Y, Tsunemi Y, Abe S, Kobayashi M, Morisky DE, Furue M. Poor adherence to medication as assessed by the Morisky Medication Adherence Scale-8 and low satisfaction with treatment in 237 psoriasis patients. *J Dermatol.* 42:367-72, 2015
55. Shiratori-Hayashi M, Koga K, Tozaki-Saitoh H, Kohro Y, Toyonaga H, Yamaguchi C, Hasegawa A, Nakahara T, Hachisuka J, Akira S, Okano H, Furue M, Inoue K, Tsuda M. STAT3-dependent reactive astrogliosis in the spinal dorsal horn underlies chronic itch. *Nat Med.* 21:927-31, 2015
56. Tsukimori K, Uchi H, Furue M. Response to: Letter to the Editor: Blood levels of PCDDs, PCDFs, and coplanar PCBs in Yusho mothers and their descendants: Association with fetal Yusho disease. *Chemosphere.* (in press)
57. Tsukimori K, Uchi H, Furue M. Response to: Correspondence to the Editor Re: Maternal exposure to high levels of dioxins in relation to birth weight in women affected by Yusho disease. *Environ Int.* 74:305,2015
58. Tsunemi Y, Abe S, Kobayashi M, Kitami Y, Onozuka D, Hagihara A, Takeuchi S, Murota H, Sugaya M, Masuda K, Hiragun T, Kaneko S, Saeki H, Shintani Y, Tanioka M, Imafuku S, Abe M, Inomata N, Morisky DE, Furue M, Katoh N. Adherence to oral and topical medication in 445 patients with tinea pedis as assessed by the Morisky Medication Adherence Scale-8. *Eur J Dermatol* (in press)

59. Wu Z, Uchi H, Morino-Koga S, Shi W, Furue M. Z-ligustilide ameliorated ultraviolet B-induced oxidative stress and inflammatory cytokine production in human keratinocytes through upregulation of Nrf2/HO-1 and suppression of NF- $\kappa$ B pathway. *Exp Dermatol*.24:703-8,2015
60. Yamazaki N, Kiyohara Y, Uhara H, Fukushima S, Uchi H, Shibagaki N, Tsutsumida A, Yoshikawa S, Okuyama R, Ito Y, Tokudome T. Phase II study of ipilimumab monotherapy in Japanese patients with advanced melanoma. *Cancer Chemother Pharmacol*.76:997-1004,2015
61. Yamazaki N, Uhara H, Fukushima S, Uchi H, Shibagaki N, Kiyohara Y, Tsutsumida A, Namikawa K, Okuyama R, Otsuka Y, Tokudome T. Phase II study of the immune-checkpoint inhibitor ipilimumab plus dacarbazine in Japanese patients with previously untreated, unresectable or metastatic melanoma. *Cancer Chemother Pharmacol*. 76:969-75,2015
62. Yoshino K, Fujisawa Y, Kiyohara Y, Kadono T, Murata Y, Uhara H, Hatta N, Uchi H, Matsushita S, Takenouchi T, Hayashi T, Ohara K. Usefulness of docetaxel as first-line chemotherapy for metastatic extramammary Paget's disease. *J Dermatol* (in press)

(総説)

1. Furue M, Tsuji G, Mitoma C, Nakahara T, Chiba T, Morino-Koga S, Uchi H. Gene regulation of filaggrin and other skin barrier proteins via aryl hydrocarbon receptor. *J Dermatol Sci*. 2015
2. Mitoma C, Uchi H, Tsukimori K, Yamada H, Akahane M, Imamura T, Utani A, Furue M. Yusho and its latest findings-A review in studies conducted by the Yusho Group. *Environ Int*. 282:41-8, 2015
3. Chattopadhyay C, Kim DW, Gombos D, Oba J, Qin Y, Williams M, Esmaeli B, Grimm AE, Wargo J, Woodman SE, Patel S. Uveal Melanoma: From Diagnosis to Treatment and the Science in Between. *Cancer*. (in press.)

## 邦文論文

(原著+症例報告)

1. 三苦千景,日高らん,古江増隆. 片側性色素失調症の男児例. *西日本皮膚科* 77: 214-216, 2015

2. 西江温子, 杉山晃子, 古江増隆. ステロイド外用剤の使用量に重点をおいた外用指導、当院での工夫. 日本小児皮膚科学会雑誌 34:143-148, 2015
3. 中原剛士, 師井洋一, 高山浩一, 中西洋一, 古江増隆. 上皮成長因子受容体(EGFR)阻害薬投与に伴う皮膚生理学的変化の部位差と保湿剤の有用性の検討. 西日本皮膚科 77: 399-405, 2015
4. 中尾匡孝, 竹内聡, 高橋和弘, 桐生美麿, 寺尾浩, 古江増隆. 多発リンパ節結核、大腸がんを合併した患者に生じた結節性紅斑. 西日本皮膚科 77:10-13, 2015.
5. 中尾匡孝, 杉山晃子, 辻学, 三苦千景, 安川文字, 竹内聡, 高原正和, 松田哲男, 森田慶介, 古江増隆. 生後3か月の乳児に生じた *Trichophyton tonsurans* による頭部白癬の1例. 西日本皮膚科 77:55-58, 2015.
6. 中尾匡孝, 岩崎菜保子, 竹内聡. 口囲と手掌に限局性に症状を繰り返した Linear IgA bullous dermatosis. 西日本皮膚科 77:445-446, 2015
7. 中尾匡孝, 岩崎菜保子, 東修智, 松本大輔, 本下潤一, 竹内聡. 顔面および体幹に多発した偽リンパ腫の1例. 西日本皮膚科 77:570-574, 2015
8. 河野美己, 執行あかり, 豊田美都, 古江増隆. Intralymphatic Histiocytosis が認められた肉芽腫性眼瞼炎の1例. 西日本皮膚科 77: 349-353, 2015
9. 中川理恵子, 幸田太, 執行あかり. 後天性結節性裂毛症 西日本皮膚科 (in press).
10. 中川理恵子, 幸田太, 執行あかり, 桐生美麿, 古江増隆. 皮膚生検が有用であった組織球性壊死性リンパ節炎の1例. 西日本皮膚科 (in press)
11. 中川理恵子, 幸田太, 執行あかり, 古江増隆. 皮膚生検から IgG4 関連疾患の診断に至った1例. 西日本皮膚科 (in press)
12. 河原紗穂, 三苦千景, 冬野洋子, 伊藤さおり, 内博史, 古江増隆. 血液透析患者に生じた Perforating Folliculitis. 西日本皮膚科 (in press)
13. 佐々木誉詩子, 内博史, 師井洋一, 古江増隆. Primary cutaneous CD4+ small/medium sized pleomorphic T cell lymphoma の1例. 西日本皮膚科 77:43-46, 2015
14. 遠矢麻衣子, 見明彰, 菊池智子, 古江増隆. 陰圧閉鎖療法が奏効した下肢潰瘍の4例. 西日本皮膚科 77:456-460, 2015
15. 和田尚子, 前原恵里子, 大野文嵩, 高松紘子, 原田佳代, 占部和敬. Sweet 病を合併した SAPHO 症候群の1例. 西日本皮膚科 77:345-348, 2015.
16. 前川朋子, 加来裕美子, 原田佳代, 占部和敬. パラホルムアルデヒド含有歯根管治療剤によるアナフィラキシーショックの1例. 皮膚科の臨床 57:1893-1898, 2015.
17. 前川朋子, 加来裕美子, 原田佳代, 占部和敬. 脱毛を契機に判明した HAIR-AN 症候群の1例. 皮膚病診療 37: 349-352, 2015



18. 溝手美華,三苫千景,古江増隆. 高齢者の右耳前部に生じた Pilomatricoma の 1 例. 西日本皮膚科 77: 131-133, 2015
19. 溝手美華,三苫千景,溝手政博,辻学,古江増隆. 乳房に生じた Pigmented Bowen's Disease の 1 例. 西日本皮膚科(in press)
20. 増田亜希子、伊東孝通、土井和子、古江増隆. 軀幹と上肢に多発した硬化性苔癬の 1 例. 西日本皮膚科 77:479-482, 2015
21. 堤碧,三苫千景,伊東孝通,加来裕美子,伊藤さおり,中原真希子,古江増隆. 皮膚にアミロイド蛋白の沈着を認めた全身性アミロイドーシスの 2 例. 西日本皮膚科 77: 364-369, 2015
22. 堤碧,伊東孝通,伊藤絵里子,古江増隆. 進行性顔面片側萎縮症 西日本皮膚科 77: 533-534,2015
23. 前田彩未,伊藤宏太郎,今福信一,古江増隆. 低亜鉛母乳により後天性亜鉛欠乏症を生じた極低出生体重児の 1 例. 西日本皮膚科(in press)
24. 隈有希,伊東孝通,和田麻衣子,日高らん,中村美沙,内博史,古江増隆. 右踵に生じた desmoplastic malignant melanoma の 1 例. 皮膚科の臨床 57:450-454, 2015
25. 岩崎菜保子,三田村康貴,中尾匡孝,本下潤一,竹内聡. 臍部に生じた異所性子宮内膜症. 西日本皮膚科 77:3-4, 2015
26. 森岡友佳,辻学,河原沙穂,溝手政博,中原剛士,内博史,石井文人,古江増隆. 紅皮症を呈した水疱性類天疱瘡の 1 例.西日本皮膚科(in press)
27. 赤羽学,松本伸哉,神奈川芳行,三苫千景,内博史,吉村健清,古江増隆,今村知明. 一般成人を対象とした健康実態調査とカネミ油症患者実態調査との比較. 福岡医学雑誌 106:85-118,2015
28. 梶原淳睦,戸高尊,平川博仙,堀就英,平田輝昭,飯田隆雄,内博史,古江増隆. 油症認定患者の血液中ダイオキシン類濃度の分布. 福岡医学雑誌 106:149-53,2015
29. 松本伸哉,赤羽学,神奈川芳行,梶原淳睦,月森清巳,和氣徳夫,三苫千景,内博史,古江増隆,今村知明. カネミ油症患者のダイオキシン類の半減期と芳香族炭化水素受容体(AhR)の SNP の関係. 福岡医学雑誌 106:139-43,2015
30. 安武大輔,小木曾俊孝,堀就英,宮脇崇,山本貴光,梶原淳睦,平田輝昭,内博史,古江増隆. 福岡県油症検診(2011-2014 年度)受診者における血液中 PCB 濃度と傾向. 福岡医学雑誌 106:154-9,2015
31. 山田健一,石井祐次,武田知起,黒木廣明,三苫千景,内博史,古江増隆,山田英之. cynaropicrin が油症原因物質 2,3,4,7,8-pentachlorodibenzofuran による wasting syndrome および酸化的ストレスに及ぼす影響. 福岡医学雑誌 106:169-75,2015

(総説)

1. 内博史. ここまでわかったアトピー性皮膚炎の疫学. *Mebio* 32:38-43, 2015
2. 三苦千景,内博史,辻学,古賀沙緒里,古江増隆. Latest Findings of Yusho and Its Therapeutic Development. *福岡医誌* 106: 184-195, 2015
3. 中原剛士. 上皮成長因子受容体(Epidermal Growth Factor Receptor:EGFR)阻害薬による皮膚障害 臨床症状、治療・対策、病態・発症機序について. *西日本皮膚科* 77:203-209, 2015
4. 中原剛士,中原真希子. かゆみは何のためにあるのか:かゆみと疾患 アトピー性皮膚炎. *臨床と研究* 92: 420-426, 2015
5. 中原剛士. 分子標的薬の副作用対策 ~皮膚科医の立場から~. *MEDICAMENT NEWS* 2194: 8-9, 2015
6. 中原剛士,竹内聡,古江増隆. 石垣島におけるアトピー性皮膚炎のコホート研究. *臨床免疫・アレルギー科* 64-6, 2015

(著書)

1. 古江増隆. 小児科臨床ピクシス 5.年代別アレルギー疾患への対応 アトピー性皮膚炎一思春期・成人期、五十嵐隆,海老澤元宏編集,中山書店 190-193,2015
2. 古江増隆.新小児薬用量(改訂第7版) 軟膏・クリーム・外用薬、岡明,木津純子編集,診断と治療社 464-481,2015
3. 古江増隆. 今日の診断指針 壊疽性膿皮症 医学書院 1618-1619,2015
4. 内博史. 皮膚の疾患と薬. 薬が見える vol.2. 医療情報科学研究所, 2015
5. 中原剛士,古江増隆. わが国におけるアトピー性皮膚炎の実態. ステロイド外用パーフェクトブック 68-77, 2015

(雑文)

1. 竹内聡. アトピー性皮膚炎を正しく理解し適切な治療を. 季刊誌はまかせ 58号 「専門の立場から」2015
2. 竹内聡. アトピー性皮膚炎を正しく理解し適切な受診を. 2015/3/20 朝日新聞夕刊(福岡、佐賀版)
3. 三苦千景. Kim B. Yancey 教授. *西日本皮膚科* 77: 277-278, 2015
4. 内博史.メラノーマについて. 2015/1/3 読売新聞
5. 内博史.悪性黒色腫. 2015/8/21 朝日新聞
6. 伊東孝通 「末端黒子型悪性黒色腫においてセンチネルリンパ節生検を施行すべき条件は？」最新海外論文紹介 皮膚科ポータルサイト *Dermatology Today*